

# GELMI RANGE

## ROUND

BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN

URBAN CLASSIC

URBAN MODERN

HIGH-BAY

POST

LAMPS

Round bulkhead lamp with ring, eyelid or grid cover. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for wall and ceiling installation. **GX53 LED** or **E27** version available. Insulation class II, Protection rating IP66.

*Plafoniera circolare con cover ad anello, a palpebra o a griglia. Realizzata in resina antiurto stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a parete e a soffitto. Disponibile nella versione a **LED GX53** o **E27**. Classe di isolamento II, grado di protezione IP66.*






**GELMI - COMPONENTS**

IP 66



**COVER** made of shockproof resin material, UV-rays stabilized. Ring, eyelid and grid versions available.

*COVER in resina antiurto stabilizzata ai raggi UV, disponibile nella versione ad anello, a palpebra e a griglia.*

Opal **DIFFUSER** made of UV-rays stabilized polymethylmethacrylate (PMMA), with silicone rubber gasket to ensure high protection against external agents.

*DIFFUSORE opale opale realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV. Completo di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni.*

**BASE** made of shockproof resin material, UV-rays stabilized, suitable for the electrical devices fixation. Provided with E27 or GX53 lampholder.

*BASE realizzata in resina antiurto, stabilizzata ai raggi UV, adatta ad alloggiare gli accessori elettrici. Fornita completa di portalamпада E27 o GX53.*

**GELMI**



**Dimensions and weight**

Diameter: Ø 313 mm  
Depth: 90 mm  
Weight: 1 Kg

**Moulded colours:**

Black  White  Grey

**Diffuser PMMA:**

Opal

**GX53 LED**

FULLY PRE-WIRED



Bulkhead supplied **fully pre-wired** and complete with TÜV approved, long-life and efficient **GX53 LED** lamp in different wattages.

- **BUILT-IN DRIVER:** Quick and easy lamp replacement for a very simple maintenance after installation.
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.

\*ADD. SUFFIX

	<b>11 W</b>	<b>1300 Lm</b>	4000 K	.B1L
			3000 K	.B1R
	<b>18 W</b>	<b>2000 Lm</b>	4000 K	.E1L
			3000 K	.E1R

**11W**  
**18W** = **100W**  
**150W** incandescent

**SAVE 90%**

**E27**

FULLY PRE-WIRED



Bulkhead supplied **fully pre-wired** with E27 lampholder and complete with highly heat resistant reflective plate made of white shockproof resin material, UV-rays stabilized.

\*ADD. SUFFIX

<b>E27</b> (CFL-LED)	max 180 mm	.E27
-------------------------	------------	------

**LED LAMPS**



More technical details about TÜV approved Fumagalli LED Lamps on page 468.

\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE



**GELMI RANGE**  
**ROUND**

BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN

URBAN CLASSIC

URBAN MODERN


HIGH-BAY

POST

LAMPS



MADE IN  
ITALY



**GELMI**  
1G3.000

Pcs 16  
Kg 18  
mc 0,194

**GELMI-EL**  
2G3.000

Pcs 16  
Kg 18  
mc 0,194

**GELMI-GR**  
3G3.000

Pcs 16  
Kg 18  
mc 0,194